


NEW YORK CITY DEPARTMENT  
OF ENVIRONMENTAL PROTECTION  
OFFICE 400 - SOUTH AVENUE  
CITY 10014



INTERSTATE ROUTE


NYS ROUTE 747 RD.






ACM Logo Panel (Ref. 4)

ACM Logo Panel Profile (Ref. 4.1)



Push-Thru (Ref. 5)




Push-Thru (Ref. 5.1)

Push-Thru Profile (Ref. 5.2)

- Red 3MM ACM - Apolic WER Red (50"x120")
- Red Vinyl (Translucent) - Arlon Red 2500-2283 (PMS 187)
- Red Vinyl (Opaque) - Arlon Bright Cardinal Red 2100-60 (PMS 187)
- Blue 3MM ACM - Apolic HYB Blue (50"x120")
- Blue Vinyl - Arlon Sapphire Blue 2100-17 (PMS 294)
- White 3MM ACM - Program White (62"x122")
- White Vinyl (Translucent) - Arlon White 2500-20

\* Both Red/Blue (Opaque) Vinyl & Red/Blue/White ACM are spec'd - estimate one or the other, not both.  
 \*\* Clear matte vinyl may be required to diffuse under lighting.  
 \*\*\* Logo design subject to change pending customer approval.  
 \*\*\*\* SNK/Red graphic push-thru production process to be determined. (Routed vs Glued Surface vs Vacuum Formed)



LED Layout (Ref. 6)

<b>Power Supply #1:</b>	<b>Power Supply #2:</b>
Load: 58%	Load: 92%
Modules: 29	Modules: 46
Watts: 34.8	Watts: 55.2
Power Supply: 60 Watt	Power Supply: 60 Watt
<b>Acrylic Squared Area: (45" x 146.675") 45.84 ft<sup>2</sup></b>	
<b>ACM Square Area: (156" x 36") 39 ft<sup>2</sup></b>	
<b>Electrical Information:</b>	
(75) Principal Qwik Mod 3 - PL-QM3-TW200-P (M-QMTX0-71)	
(2) Principal 60" Watt Power Supply - PL-60-12-U	
Total Electrical Load - 2 PS x (1.1 Amps) 2.2 Amps	



This original drawing is provided as part of a planned project and is not to be copied, copied or reproduced without the permission of Federal Health Sign Company LLC or its authorized agent.

STANDARD	0 - 3	±0.015	48 - 144	±0.125
TOLERANCES:	3 - 12	±0.03	144 - 360	±0.375
	12 - 48	±0.06	ANGLES	±1 DEGREE


ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE SPECIFIED.

NO.	REVISION	DATE	BY
1	Revised to include SNK Red 100 PMS Blue 294 Vinyl Logo	10/06/20	JF
2	Added Logo Color Approval of Client	10/14/20	JF
3	XXX-XX	X.X.XX-XX	XXX
4	XXX-XX	X.X.XX-XX	XXX
5	XXX-XX	X.X.XX-XX	XXX
6	XXX-XX	X.X.XX-XX	XXX
7	XXX-XX	X.X.XX-XX	XXX

**SNK Canopy**  
 23' x 121' x 36" Fascia Height  
 ACM (Red/Blue) + Illuminated Logo


JOB NO. TBD	DATE A. Stanton	SHEET NO. 3
DRAWN BY JEREMY FRY	DATE 09-17-20	OF 3
DRAWING NO. 205844		






ACM Logo Cabinet (Ref. 2)

ACM Logo Cabinet Profile (Ref. 2.1)



ACM Downlight + Eyebrow (Ref. 3)




ACM Downlight + Eyebrow Profile (Ref. 3.1)

- Red 3MM ACM - Apolic WER Red (50"x120")
- Red Vinyl (Translucent) - Arlon Red 2500-2283 (PMS 187)
- Red Vinyl (Opaque) - Arlon Bright Cardinal Red 2100-60 (PMS 187)
- Blue 3MM ACM - Apolic HYB Blue (50"x120")
- Blue Vinyl - Arlon Sapphire Blue 2100-17 (PMS 294)
- White 3MM ACM - Program White (62"x122")
- White Vinyl (Translucent) - Arlon White 2500-20

\*Both Red/Blue (Opaque) Vinyl & Red/Blue/White ACM are spec'd - estimate one or the other, not both.  
 \*\*Clear matte vinyl may be required to diffuse under lighting.  
 \*\*\* Logo cabinet design subject to change pending customer approval.  
 \*\*\*\*SNK/Red graphic push-thru production process to be determined. (Routed vs Glued Surface vs Vacuum Formed)

NO.	REVISION	DATE	BY
1	Revised to include PMS Red 187, PMS Blue 294, Vinyl 2500-20	10/09/20	JF
2	Added Logo Color Approval of Client	10/14/20	JF
3	XXX XX	XX-XX-XX	XXX
4	XXX XX	XX-XX-XX	XXX
5	XXX XX	XX-XX-XX	XXX
6	XXX XX	XX-XX-XX	XXX
7	XXX XX	XX-XX-XX	XXX





Canopy Layout (Ref. 1)

- Red 3MM ACM - Apolic WER Red (50"x120")
- Red Vinyl (Translucent) - Arlon Red 2500-2283 (PMS 187)
- Red Vinyl (Opaque) - Arlon Bright Cardinal Red 2100-60 (PMS 187)
- Blue 3MM ACM - Apolic HYB Blue (50"x120")
- Blue Vinyl - Arlon Sapphire Blue 2100-17 (PMS 294)
- White 3MM ACM - Program White (62"x122")
- White Vinyl (Translucent) - Arlon White 2500-20

\* Both Red/Blue (Opaque) Vinyl & Red/Blue/White ACM are spec'd - estimate one or the other, not both.  
 \*\* Clear matte vinyl may be required to diffuse under lighting.  
 \*\*\* Logo cabinet design subject to change pending customer approval.  
 \*\*\*\* SNK/Red graphic push-thru production process to be determined. (Routed vs Glued Surface vs Vacuum Formed)



This original drawing is provided as part of a planned project and is not to be exhibited, copied or reproduced without the permission of Federal Health Sign Company LLC or its authorized agent.

STANDARD	0 - 3	±0.015	48 - 144	±0.125
TOLERANCES	3 - 12	±0.03	144 -	±0.375
	12 - 48	±0.06	ANGLES	±1 DEGREE

ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE SPECIFIED.

NO	REVISION	DATE	BY
1	Initial "FUELS" PMS Red 102 - PMS Blue 294 - Vinyl Logo	10-09-20	JF
2	Added Logo (3.30) Approval of Canopy	10-14-20	JF
3	XXX.XX	XX.XX.XX	XX.XX
4	XXX.XX	XX.XX.XX	XX.XX
5	XXX.XX	XX.XX.XX	XX.XX
6	XXX.XX	XX.XX.XX	XX.XX
7	XXX.XX	XX.XX.XX	XX.XX

**SNK Canopy**  
 23' x 121' x 36" Fascia Height  
 ACM (Red/Blue) + Illuminated Logo

JOB NO. TBD	A. Stanton
DRAWN BY JEREMY FRY	DATE 09-17-20
DRAWING NO. 205844	

SHEET NO. 1
OF 3